FAD TOOLS

Installation Manual.

2024





1. Instructions to Install FAD.

Once you receive the email with License ID and activation password, please follow these steps to install FAD:

- Download the installer for the latest service pack (e.g., FAD 5.2.3 Service Pack #) from the download section of our website (e.g., https://www.fadtools.com/html/downloads.html).
- Unzip the follow the instructions in the README.docx distributed across this folder structure based on the decisions that need to be made at each step. There are three main steps:
 - Find out the Microsoft Office's architecture of the Office installed in the computer (e.g., 32 bits or 64 bits) or select one if Office is not installed.
 - If Microsoft Access is not installed in the computer, then install the <u>Access Runtime</u> <u>Library</u> for the appropriate architecture (e.g., 32 bits or 64 bits).
 - Install the FAD TOOLS version compatible with the Office's architecture.

2. Configuring the Licenses.

After launching FAD from the desktop or windows start menu. The Tool Selection windows shown in Figure 2.1 will appear. There are two tabs available in this window. "Modules" tab will show three buttons, one per tool (e.g. MFAD, HFAD, TFAD). Tools with valid licenses installed in the computer will be available, otherwise, they will gray out and it will say the reason why there is no valid license for that tool as shown in Figure 2.1. More detailed information of the licenses available can be obtained by clicking on the button "View Licenses" in the License tabs.

To add a new license, you need to buy a license in FAD e-commerce (e.g. click on Modules/Purchase) and then, add the license as explained in detail below.

🏮 Tool	Selection	Х	Tool Selection	Х
Modules	License		Modules Licemse	
	MFAD Invalid Version		View License	
	HFAD		Add License	
	TFAD		Deactivate	
E	urchase <u>C</u> ancel]		

Figure 2.1 FAD Tools Selection Window



Online License activation

Both PC and Cloud licenses need to be activated when they are used for the first time. This is a one-time process regardless of any update installed later. The steps are summarized below:

Online activation is the easiest and quickest way to add a license to FAD. To do this, follow these steps:

- On the tab License in the Tool selection form, click on "Add License", and then on "Activate Online" (see Figure 2.2).
- Obtain your License ID and Password from the License Portal (see Figure 2.4) and introduce it on "Activate Online" form (see Figure 2.3).
- If successful, message shown in Figure 2.5 should come up.
- If the license is already activated, then a windows with instructions to download the license file will popup as shown in Figure 2.6.

Note that this option is available when you have an internet connection and access to our server (e.g. no firewall blocking the connection). If no connection is possible to FAD server, offline activation can be done as discussed in Appendix A.



Figure 2.2 FAD Options to add Licenses.



Activate Online	—		×
Please use the License ID and Password given to you to connection is required. If you encounter an error, please License ID and Password are correct, and temporarily dis firewalls you may have installed.	double-chec	k that the	
License ID: 1500000018 Password:	- Lice		
Location where the License Files are saved after activation.			
P:\2007-106 - EPRI - FAD Management\FAD Tools 5.2.2	2\TestingLic		
Proxy Settings Ca	ncel	Activate	

Figure 2.3 Online Activation of Licenses.

FAD TOOLS					
ense Portal Home » Licenses &	Activations » License Details	Company Selection 🤷 Log Ou			
~	For FAD Tools 5.2.1 HFAD Co				
License Information	1	Order Information			
Ctature License ID:	150000018	License ID and			
Activation Password:	Y2Y3ZU29	Password needed to			
Activations Left:	1	activate the license.			
Deactivations Left:	2				
Allowed Network Seats	: 1 (1 currently in use)				
Instructions:	Please, follow the instructions in this link for installation of FAD. LicenseID = 1500000018				
	Password = Y2Y3ZU29				

Figure 2.4 License Portal.



Figure 2.5 Successful activation.

OK

-	stallation History			k on tl tallatio			n any active se.			
Filt	ter: All Active Deactive	ated				-/-				
	stallation ID	Status	▼ Activated	Last Che	-	Name				
	16M5-8GJQ7-PUWDX-MXA63- MGR-W	Active	Apr 07, 2024	Jul 25, 20	024		blancobeltran terID : PC10980			
	EN7-4JYBN-EEW8V-TJCCX-	Deactivated	Apr 07, 2024				blancobeltran			
GN	VSC-Q					Compu	terID : PC10980			
									-	
		1	FA	DTO	o I S					
				RNATION						
					16, 220				-	
	License Portal Home > Installat	ion History					6	Log Out		
	Installation Histo	orv					_			
	Installation Histo	ory								
	Filter: O All O Active O									
ownloa	Filter: O All O Active O			d	Last		Name			
ownloa	Filter:	Deschivated		d	Check					
ownloa	Filter: O All O Active O	Deschivated		d 4						
ownloa	Filter: All O Active C ading License file downloaded. Be sure to save the licen	Description		d 4	C heck Iul 26,		Name User: jblancobeltran			
	Filter: All O Active O ading License file downloaded. Be sure to save the licen "License file path previo	Bandinated	d by the user"	d 4	C heck Iul 26,		Name User: jblancobeltran ComputerID : DGAMC			
ownloa	Filter: All O Active C ading License file downloaded. Be sure to save the licen	Bandinated	d by the user"	d 4	C heck Iul 26,		Name User: jblancobeltran ComputerID : DGAMC			

Figure 2.6 Window to download the license file is the license is already activated.



Setting Up Activated Cloud License on Other Computers without activation password.

If the license has already been activated on one computer, instead of the step shown in Figure 2.6, you can follow the steps below to set up the cloud license on another computer without needing to enter the activation password.

- Copy/paste the License file (.e.g #.lfx) from another computer with the cloud license already set up, or download it from license Portal (see Figure 2.7). Appendix B provides more details regarding how to obtain this license file lfx.
- Specify the new folder location as indicated in Figure 2.8.

This process can be repeated on as many computers as the user wants to.

FAD can be run from any computer hosting a cloud license as long as the number of users connected at the same time doesn't exceed the number of seats purchased for the license.

Best practice setting up licenses of more than one module (e.g. MFAD, HFAD, TFAD) on the same computer.

Each FAD module (e.g. MFAD, HFAD, TFAD) has its own license file (e.g. #.lfx). When there is more than one license file in one computer, it is recommended to put all the licenses on the same folder, otherwise the user should have to point FAD to different folder location every time the user wants to switch the module.



	LIC	ENSE	PORTAL	
icense Portal Home » Licenses & Activa	tions » License Details	» Installation	History	Company Selection 🦲 Log Out
Installation History				
Filter: All Active Dead	tivated		Click on this link to d	ownload
Installation ID	Status	▼ Activ	the license file.	
RV5YX-GR3BK-4SYMM-JFK4P- 52STC-Z	Active	May 08,	2023	User: jblanco ComputerID : DGAMON-163 wnload License File
B3G4K-5M8UA-DJW8M-C34JV- JMPVG-X	Deactivated	May 08,		Jser: jblanco ComputerID : DGAMON-163
LMSP3-AQT64-2QY9C-SKU2D- G8PAL-X	Deactivated	Apr 19, 2	2023 F	Jser: jblanco Path: P:\2007-106 - EPRI - FAD Mana
A3R2P-3NZYM-4PY9V-RVCQV- PX3Y9-3	Deactivated	Apr 19, 2	· · · · · · · · · · · · · · · · · · ·	Path: P:\2007-106 - EPRI - FAD Management\FAD Tool
8BLGQ-M9WKX-5JWNL-RCKJF- QYRHH-X	Deactivated	Apr 19, 2		Path: P:\2007-106 - EPRI - FAD Management\FAD Tool
	e more details get to this wet		endix B regarding how	P:\2007-106 - EPRI - anagement\FAD Tool
TVZLA-CUDB6-P7YZV-LY5DS- G49GU-2	Deactivated	Apr 18, 2		Path: P:\2007-106 - EPRI - FAD Management\FAD Tool
GV3S2-MZGW4-FRW9X-R5YDL- 2C6T4-Q	Deactivated	Mar 17, 3	023 Apr 12, 2023	
PHG24-C5A3V-GYWYL-49KS6- VWAPH-Q	Deactivated	Feb 18, 2	023 Feb 28, 2023	

Figure 2.7 Downloading License File from License Portal.



🏮 Tool Sele	ction	×	🛃 Add SoftwareKey License	– 🗆 ×				
Modules License			Activate Online					
	Add License		Activate M	anually				
	Deactivate		License Files	Location				
Sel	lect network license loca	ition		¥				
- Im	portant							
Tr	ne exact same UNC path	needs to be used.						
Fo	or example, the same share	can be accessed u	sing different UNC paths:					
	\\servername\share \\servername.domain.com	n\ebara						
	\\192.168.0.1\share	ii \share						
			point at the same share, but					
	ould each generate differer act UNC path is entered o							
ra	w UNC path in our dialog o	r when mapping a n	etwork drive.					
P:	\2007-106 - EPRI - FAD M	anagement\FAD To	ols 5.2.2\TestingLicenses					
	Browse For Folder	×		OK Cancel				
				Cancel				
	Desktop							
	> 📥 OneDrive > 🤱 Jose Blanco							
	 This PC Libraries 							
	> 🥏 Network							
	> 💽 Control Panel 🔊 Recycle Bin							
	Make New Folder OK	Cancel						

Figure 2.8 Saving a new location of the license file in a computer.



Transferring a PC license to another computer.

A PC license cannot be installed in more than one computer, but it can be transferred from one computer to another. To do this, first deactivate the license in the computer is currently active as shown Figure 2.9, and then activate the license in the new computer repeating the process described in section "Online License Activation".

ר 😂	Tool S	Selection			×				
Mod	ules	License							
		Viev	v Lice	ense					
		Add	l Lice	ense					
		De	activ	ate					
									 ~
			🔡 frr	n_DeactivatingLi	cense			-	×
						Select Licenses	to deactivate		
				Selected	Module	Туре	ID	Expiration (mm-dd-yyyy)	
					MFAD	Network	150000019	April 19, 2024	
					HFAD	Clou	150000018	April 26, 2024	
			•						
		_							
		[The lice	ense 1500000028	has been deactiv	ated successfully.			 ~
									~
					Deactivate			Close	

Figure 2.9 Online Deactivation.



Troubleshooting setting up licenses.

If the license is not set up successfully, the buttons of the modules will be shown gray out with error message as shown in Figure 2.10. Further detail of error can be obtained by click on the License Tab and "View License" button as shown in Figure 2.11.

🏮 To	ool Selection	×
Modu	les License	
	MFAD	
	HFAD	
	TFAD Invalid Version	
	Purchase Cancel	

Figure 2.10. Example of error message from a module where the license was not set up successfully.



🇊 Tool S	Selection	×
Modules	License	
	View License	3
	Add License	
	Deactivate	
a licens	sing Information	

Licence Keys Detected						
Local/Network/C	Key ID	Next Validation	Version Range	Vendor	Note	,
PC	150000035	August 14, 2023	5.0.21 - 5.2.2	SoftwareKey		
Network	1762424618	December 31, 20	5.0.21 - 5.2.1	Thales	. Error Invalid Version	
Network	1762424618	December 31, 20	5.0.21 - 5.2.1	Thales	. Error Invalid Version	
Network	1762424618	December 31, 20	5.0.21 - 5.2.1	Thales	. Error Invalid Version	
Cloud	150000031	August 14, 2023	5.0.21 - 5.2.2	SoftwareKey		•
					>	
	PC Network Network Network	Network 1762424618 Network 1762424618 Network 1762424618 Network 1762424618	Local/Network/C Key ID Validation PC 150000035 August 14, 2023 Network 1762424618 December 31, 20 Network 1762424618 December 31, 20 Network 1762424618 December 31, 20 Network 1762424618 December 31, 20	Local/Network/C Key ID Validation Version Range PC 1500000035 August 14, 2023 5.0.21 - 5.2.2 Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Network 1762424618 December 31, 20 5.0.21 - 5.2.1	Local/Network/C Key ID Validation Version Range Vendor PC 1500000035 August 14, 2023 5.0.21 - 5.2.2 SoftwareKey Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Thales Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Thales Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Thales	Local/Network/C Key ID Validation Version Range Vendor Note PC 150000035 August 14, 2023 5.0.21 - 5.2.2 SoftwareKey Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Thales . Error Invalid Version Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Thales . Error Invalid Version Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Thales . Error Invalid Version Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Thales . Error Invalid Version Network 1762424618 December 31, 20 5.0.21 - 5.2.1 Thales . Error Invalid Version Cloud 150000031 August 14, 2023 5.0.21 - 5.2.2 SoftwareKey

Figure 2.11 Viewing licenses available in a computer



A. Appendix Offline activation or manual activation.

Offline activation is available for users who do not have an internet connection or access to the FAD server. Depending on the situation use one of these sets of instructions:

For Licensees with connection to internet but without access to the FAD sever, follow these steps:

- 1- Click the button "Activate Manually" in Figure 2.2.
- 2- The manual activation form will open.
- 3- Enter your License ID and Password, which can be obtained as explained in the previous section.
- 4- Click "Generate".
- 5- Click "Copy" at step 2 on Figure A.1.
- 6- Click on "Open Activation web page" on Step 2 of Figure A.1. This will open the webpage shown in Figure A.2.
- 7- Paste the request from step 5 on the "Copy and Paste Request" box.
- 8- Click submit and the webpage from Figure A.3 will appear.
- 9- Click copy.
- 10- Return to form from Figure A.1 and click paste on Step 3.
- 11- Press "activate" on Figure A.1, if successful, the notification shown in Figure A.4, will appear.

For licensees without an internet connection on the device using FAD:

- 1- Click 'Activate Manually' on Figure 2.2.
- 2- Enter your License ID and Password on the manual activation form (Figure A.1).
- 3- Click 'Generate'.
- 4- Save the generated text as an activation request file (click 'Save Activation Request file', top left corner, on Figure A.1).
- 5- Move the saved activation request file to a computer with internet access. Open the following URL: "<u>https://secure.fadtools.com/solo/customers/ManualRequest.aspx</u>". You'll see the webpage depicted in Figure A.2.
- 6- Choose 'Choose file' bellow 'Upload Request file,' select the saved activation request file, and upload it.
- 7- Submit the uploaded file. When finished, click on 'Download Activation Response file' (lower half of Figure A.3) and move that downloaded file over to the original device where FAD software is installed.
- 8- Go back to Figure A.1 and find the button labelled 'Open Activation response file' in the bottom right corner of the window under Step 2. Select this option.



9- After completing Step 8, press 'Activate' on Figure A.1. An alert like Figure A.4 appears after a successful activation process.

Activate Manually	_	
Step 1: Enter your activation information and clic License ID: Password:	k Generate Request:	
P:\2007-106 - EPRI - FAD Management\FAD T]
Step 2: Copy the activation request and paste it i	Generate	
Activation Request:	to the activation web page	
		^
Copy Open Activation We	o Page Save Activation	→ Request File
Step 3: Copy the Activation Code from the web Activation Code:	page, paste it below, and cl	ick Activate:
		~
Paste Open Activation Respo	nse File <u>A</u> ctivate	Close

Figure A.1 Form for Manual Activation.



i <u>cense Portal Home</u> » Manual Request	<u>[109]</u>
fanual Request	n. deactivation. and license refreshing and status
hecks. Please use the appropriate method of posting the request to retrie	
Copy and Paste Request	Upload Request File
Paste button below, or right-click in the text box below and click paste, then click the submit button below.	and click the submit button. Choose File No file chosen Submit

Figure A.2 Submitting request for activation in webpage.



<u>cense Portal Home</u> » Manual Requ	Jest		
lanual Request			
Response			
xml version="1.0" e<br <activateinstallation <encrypteddata http:="" id="
Type=" th="" www.w3.c<=""><th>LicenseFile></th><th>e box to save the response to a file.</th><th></th></encrypteddata></activateinstallation 	LicenseFile>	e box to save the response to a file.	
EUHFqmvyNDX6/UKSsexgr	JYF6kfhQ0Q8Xmd∨6w/27mUd+CRfg	waQfLcPf7EYwbf/LWC/+DqHBT2hHaCA Z3hnBiIVRyZ+STjjFPM/etgqYNKMjR/ 20kLpH2V+8g68wxzCDqQFUia59Tq2R0	• //
Download 🗈 Copy			**

Figure A.3 Getting response from webpage for activation.

Manual	Activation	\times
	Activation Successful! Restart FAD to use this new license	
	OK	

Figure A.4 Successful Manual/offline activation.



B. Appendix Obtaining license files (#.lfx)

This appendix describes how to obtain the license file from the license portal from Figure B.1 to Figure B.6.

Figure B.1 Step 1. Open License Portal on FAD website







Figure B.3. Step 3. Click on License & Activations button.



Figure B.4. Step 4. Select the License you want to view by clicking on the "License ID/Serial" column or on the Product column.





Figure B.5. Step 5. Click on the button "Manage Installations"

